

**MULTI SCREEN<sup>®</sup>**  
**Double trommel screens**

[www.zemmler.de](http://www.zemmler.de)

# COMPANY

## MADE IN GERMANY





**Zemmler Siebanlagen GmbH** is manufacturer of mobile and stationary double trommel screens, as well as equipment constructor.

In addition to the renting and trading of used screens, we offer also a repair service and 24 hour-spare part service.

All ZEMMLER® MULTI SCREEN® double trommel screens enables a screening of various material like soil, sand, gravel, stones, compost, wood chips, construction waste and recycling material into grain sizes of 2 mm up to 80 mm. Due to the double trommel technology it is possible to screen the material into 3 fractions in just one working stage.

  
**Screening into 3 fractions**

**Your team from Zemmler Siebanlagen GmbH!**



## **Manufacturer**

Zemmler Siebanlagen GmbH is manufacturer of mobile and stationary double trommel screens, as well as equipment constructor. The entire manufacturing takes place in the own factory.

## **Renting**

Various, own-produced double trommel screens are available for rent.

## **Used machines**

We offer used machines out of our rental park, moreover we offer also used screens from other producers.


## **Service**

A mobile repair service and customer advisors grant fast reaction times and allow a greater proximity to our customers.

## **Spare parts**


We offer not only parts for all screens of ZEMMLER® MULTI SCREEN®, also we offer spare parts for screening machines from other producers like Ellegaard, SVEDALA and Vedbysonder.



# FEATURES






# FEATURES







# MULTI SCREEN MS 4200




**3 fractions**

**special laquering**

**stone grid**

# MULTI SCREEN® MS 5200




<b>Troughput</b>	<b>up to 150 m<sup>3</sup>/h</b>
<b>Trommel length</b>	5.200 mm
<b>Trommel-Diameter</b>	2.000 mm
<b>Mesh size</b>	2 up to 80 mm
<b>Screening surface total</b>	ca. 46,6 m <sup>2</sup>
<b>Weight</b>	13.400 kg (Standard)
<b>Drive</b>	Diesel-hydraulic, optional Diesel-electric
<b>Hitch</b>	Drawbar eye Ø 50 mm

**3 fractions**

**on skids/ stone grid**

**trackdrive**

# MULTI SCREEN MS 6700



Troughput up to 180 m<sup>3</sup>/h

Trommel length

Trommel-Diameter

Mesh size

Screening surface total

Weight

Drive


Hitch

semitrailer




extended conveyors

on skids

# APPLICATION FIELD








Our **MULTI SCREEN®** screens can be used in different fields of application. Due to the double trommel technology it is possible to screen various material into 3 fractions in just one working stage. The exchangeable wire screens allow the optimum adaptation to any screening requirements.



# OPTIONS (



**OPTIONS (examples)**




# STATIONARY




## MULTI SCREEN® MS 3200-ST

Throughput:	up to 60 m <sup>3</sup> /h
Trommel:	3.000/∅ 1.300 mm
Drive:	electric
Weight (Standard):	ca. 3.500 kg




## MULTI SCREEN® MS 4200-ST

Throughput:	up to 120 m <sup>3</sup> /h
Trommel:	4.200/∅ 2.000 mm
Drive:	electric
Weight (Standard):	ca. 4.000 kg




## MULTI SCREEN® MS 5200-ST

Throughput:	up to 150 m <sup>3</sup> /h
Trommel:	5.200/∅ 2.000 mm
Drive:	electric
Weight (Standard):	ca. 5.000 kg



feeding unit




control unit




cleaning brush




## CUSTOMIZING (examples)



In addition to our MULTI SCREEN® double trommel screens we also realize customer solutions. This special equipment and individual elements can be match to the stationary screens of ZEMMLER, to achieve ideal screening results.



**MADE IN GERMANY**



**Manufacturer:**

**Zemmler Siebanlagen GmbH**

Woschkower Weg 25  
01983 Großräschen  
+49 (0)35753 69 00 0  
info@zemmler.de

**Distributor:**